




LP110WH3KMPIR WARM

LP110WH4KMPIR COOL



Lumi-PIR[®]

Downlight integrated with PIR sensor.



LUMI-PLUGIN[®]

Lumi-PIR[®] Features.

Lumi-PIR[®] Spec.

Lumi-Plugin[®] Downlight.

Lumi-Plugin[®] Range.

Energy efficient PIR sensor

Lumi-PIR[®] Features.

Our Lumi-PIR[®] plugin fits inside our Downlight and automatically switches on the lights or even an extractor fan when someone enters the room – turning them off only when they leave. Energy efficient motion sensors that are very economical to run.



Mains
powered



IP54
rated




Fire-rated
30/60/90



Pre-wired
junction box

Find all the information you need
to achieve streamlined results here. >




Lumi-PIR[®] Spec.

Lumi-Plugin[®] Downlight.

Lumi-Plugin[®] Range.


Energy efficient PIR sensor

Lumi-PIR[®] Spec.




Voltage	220-240V AC 50/60Hz			
Ambient light	>3-2000 LUX adjustable			
Detection distance	6m max.			
Detection moving speed	0.6 -1.5m/s			
Installation height	2-4 metres			
Power consumption	0.5W			
Rated load	Max. 400W			
Time delay	Min. 10sec, Max. 15min			
Working humidity	<93%RH			
Working temperature	-20°C to +40°C			
Fire-rated	30/60/90 – Solid Joist 30 – Metal Webbed Joist & I-Joist			
Product colour	White			
Dimensions	Cut-out size	92mm	Diameter	110mm
	Height	78mm	Depth	55mm

Find all the information you need to achieve streamlined results here. >




Integrated with _____

Lumi-Plugin® Downlight.



Designed to fit in every room and fit every plugin seamlessly. Our Downlight provides beautiful, sophisticated and contemporary lighting – guaranteed for 5 years. All plugins are reliable, compatible, and interchangeable to create streamlined ceilings and stylish interiors.

Lumens	600 lumens
Wattage	8.2W
Voltage	220-240V AC 50Hz
Dimmable	Trailing edge
Built-in driver	Yes
Colour temperature	3000K / 4000K
Guarantee / hours	5 years / 50,000 hours
Colour rendering index (CRI)	>80
Beam angle	100 degrees
kWh per 1000 hour life	10kWh
Luminaire efficiency	86.05lm/W
Energy rating	F
Fire-rated	30/60/90 – Solid Joist 30 – Metal Webbed Joist & I-Joist
Product colour	White



Reimagine lighting.

Lumi-Plugin® Range.

View our range of interchangeable and easy-to-install plugins. >



Lumi-Plugin®
Downlight



Lumi-Smoke®



Lumi-Heat®



Lumi-CO®



Lumi-Sprinkler®



Lumi-Mist®



Lumi-Emergency®



Lumi-PIR®



One-Smoke®



One-Heat®



LUMI-PLUGIN®

+44 (0) 3303 801 329
hello@lumi-plugin.com
lumi-plugin.com

